

Technical Data Sheet

Issue date: 07/01/2011 Date last modification: 25/05/2016

GRAPHICS - Wide Format Ink Jet Print Media

02659 RI-JET 100 GLOSS WHITE AVM REMOVABLE WK135

Face Material

Gloss white monomeric vinyl film.

Type Monomeric vinyl Colour and Finish Gloss white

ISO-536 Weight 134 g/m² ±10% ISO 534-80 Thickness 100 µ ±10%

Adhesive

Removable adhesive offering easy and clean removability from glass and from many other substrates. Not recommended on paper, PVC, ABS, PS, air dried paints and varnishes.

Reference AVM removable Type Acrylic removable

Min. Appl. Temp. +10°C -20°C/+80°C Service Temp. Shear Medium Medium N/inch² Tack Final Adhesion Medium N/inch

Liner

One side siliconised clay coated Type

Kraft

Colour and Finish White

PP-032 - ISO Weight 135 g/m²

536 ±10%

ISO 534 **Thickness** 145 µ ±10% DIN 53 147-64 Transparency n.a. %

Applications

For advertising and promotional applications (window graphics and outdoor and indoor posters, billboards and signs) and for vehicle applications (flat sided including buses, trams and taxis).

Printing Methods

The RI-JET series of ink-jet print media gives excellent print results with UV, solvent and eco-solvent ink-jet printing. Testing for suitability between media, printers and inks is always recommended prior to use.

Shelf life

36 months, applicable only to the material delivered by Ritrama which has not undergone further processing, under the following STORAGE CONDITIONS:

- This material must be stored at a temperature of $22^{\circ}C \pm 2^{\circ}C$ and $50 \pm$ 5% of Relative Humidity.
- Storage area must be dry and clean.
- Keep the material in the original packaging when not used in order to protect it from dust and contamination.
- Do not expose to direct sunlight or heat sources.

All Ritrama products are subject to strict manufacturing controls to guarantee good quality products. The above information is based on research believed to be reliable, but does not constitute a warranty. All material should be tested by the purchaser to determine suitability of the product for their purposes. All information is subject to change without prior notice.





