

Technical Data Sheet

Issue date: 05/01/2005

Date last modification: 15/02/2011

VISCOM - Overlaminating Films

04067 RI-2877 MATT CLEAR AP PERMANENT WG62

Face Material

Matt clear monomeric soft vinyl.

Type Monomeric vinyl Colour and Finish Matt clear

ISO 536 Weight 93 g/m² ±10% ISO 534 Thickness 70 µ ±10%

Adhesive

Acrylic permanent adhesive featuring high clarity and very high cohesion. Designed for a wide variety of substrates such as glass, ABS, PS, PVC. Unsuitable for apolar surfaces (like PE and PP).

Reference AP permanent Type Acrylic permanent

+10℃ Min. Appl. Temp. Service Temp. -30℃/+120℃ Shear Medium Medium N/inch² Tack Final Adhesion High N/inch

Liner

One side siliconised Glassine Type

Colour and Finish White

ISO 536 Weight 62 g/m² ±10% ISO 534 **Thickness** 55 µ ±10% >45 % DIN 53 147-64 Transparency

Applications

Economy indoor/outdoor general purpose overlaminating film - matt finish.

Printing Methods

Not printable.

Testing for suitability between media, printers and inks is always recommended prior to use.

Shelf life

36 months, applicable only to the material delivered by Ritrama which has not undergone further processing, under the following **STORAGE CONDITIONS**:

- This material must be stored at a temperature of $22\% \pm 2\%$ and 50 ± 5% of Relative Humidity.
- Storage area must be dry and clean.
- Keep the material in the original packaging when not used in order to protect it from dust and contamination.
- Do not expose to direct sunlight or heat sources.

All Ritrama products are subject to strict manufacturing controls to guarantee good quality products. The above information is based on research believed to be reliable, but does not constitute a warranty. All material should be tested by the purchaser to determine suitability of the product for their purposes. All information is subject to change without prior notice.



